




A1




K1



SA1/M1单侧(one side)




SK1/M1双侧(both sides)



4.30
502.0S
1.12.001.8065.40
30
601.70

东华链号 Donghua Chain No.	P	G	C	F	553.10	d4
	mm	mm	mm	mm	6.50 1.85.405.406.56.51.80 9.82	mm
06CSS	9.525	7.90	9.50	14.55	9.82	
08ASS	12.700	9.50	12.70	19.055	11.40	
10ASS	15.875	12.70	15.90	14.30	13.1	
12ASS	19.050	15.90	18.30	51.612.055	6.50	
16ASS	25.400	19.10	24.60	50	1.56.305.405.40	
20ASS	31.750	25.40	31.80	18.9 12. 558.659.02		
24ASS	38.100	28.60	36.50	3C .00451.5	10.5 0sSs钨露馨 酸	
28ASS	44.450	34.90	44.50			
32ASS	50.800	38.10	50.80			
#06BSS	9.525	8.00	9.52			
08BSS	12.700	9.50	13.35			
10BSS	15.875	14.30	16.50			
12BSS	19.050	16.00	21.45			
16BSS	25.400	19.10	23.15			
20BSS	31.750	35.00	30.50			
24BSS	38.100	30.00	36.00			

Stainless steel short pitch roller chain attachments



东华链号 Donghua Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
06CSS	9.525	17.20	9.525	19.00	28.60	1.30	6.35	2.80
08ASS	12.700	23.00	12.700	25.40	35.60	1.50	7.90	3.40
10ASS	15.875	28.80	15.875	31.75	46.80	2.03	10.30	5.50
12ASS	19.050	34.65	19.050	38.10	56.40	2.42	11.90	5.50
16ASS	25.400	45.90	25.400	50.80	73.20	3.25	15.90	6.80
20ASS	31.750	57.65	31.750	63.50	89.80	4.00	19.80	9.20
24ASS	38.100	69.30	38.100	76.20	108.80	4.80	23.00	9.80
28ASS	44.450	80.45	44.450	88.90	123.00	5.60	28.60	11.40
32ASS	50.800	92.00	50.800	101.60	142.80	6.40	31.75	13.10
#06BSS	9.525	17.72	9.525	19.04	27.00	1.30	6.50	3.50
08BSS	12.700	24.00	12.700	25.40	36.40	1.60	8.90	4.30
10BSS	15.875	29.58	15.850	31.80	44.60	1.70	10.31	5.30
12BSS	19.050	34.05	19.050	38.10	52.40	1.85	13.46	6.40
16BSS	25.400	46.40	25.400	50.80	72.60	3.10	15.88	6.40
20BSS	31.750	58.10	31.750	63.00	100.50	3.50	19.80	9.00
24BSS	38.100	71.30	38.100	76.20	108.40	4.80	26.67	10.50
28BSS	44.450	81.10	44.450	88.90	123.00	6.00	28.58	13.10
32BSS	50.800	92.80	50.800	101.60	142.80	6.00	31.75	13.10

#直链板
#Straight side plates

